

## Kansas Division of Property Valuation

### 2004 Agricultural Use Values

| Symbol                               | Soil Map Unit Name   | Dry Crop<br>Land<br>\$/Acre | Irrigated Land                  |            | Grass Land        |                 | Symbol |
|--------------------------------------|--|-----------------------------|---------------------------------|------------|-------------------|-----------------|--------|
|                                      |  |                             | \$/Acre by Well Depth<br>100 ft | 200 ft     | Native<br>\$/Acre | Tame<br>\$/Acre |        |
| <b>REPUBLIC COUNTY (Page 1 of 3)</b> |  |                             |                                 |            |                   |                 |        |
| BK                                   | GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES                   | 139                         | <b>139</b>                      | <b>139</b> | 85                | <b>85</b>       | BK     |
| BU                                   | BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES                          | 244                         | 269                             | <b>244</b> | 72                | <b>72</b>       | BU     |
| CA                                   | COZAD-CASS SOILS, OCCASIONALLY FLOODED                           | 184                         | <b>184</b>                      | <b>184</b> | 87                | <b>87</b>       | CA     |
| CDA                                  | HOBBS SILT LOAM, FREQUENTLY FLOODED                              | 271                         | 324                             | 285        | 92                | <b>92</b>       | CDA    |
| CDAR                                 | ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES                            | 228                         | 254                             | <b>228</b> | 72                | <b>72</b>       | CDAR   |
| CDBA                                 | HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES                   | 140                         | <b>140</b>                      | <b>140</b> | 85                | <b>85</b>       | CDBA   |
| CDCT                                 | CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES                           | 218                         | 227                             | <b>218</b> | 72                | <b>72</b>       | CDCT   |
| CDGE                                 | GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES                           | 242                         | 255                             | <b>242</b> | 72                | <b>72</b>       | CDGE   |
| CDGS                                 | GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED    | 188                         | <b>188</b>                      | <b>188</b> | 72                | <b>72</b>       | CDGS   |
| CDLH                                 | LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES               | 48                          | <b>48</b>                       | <b>48</b>  | 65                | <b>65</b>       | CDLH   |
| CDLN                                 | LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES                        | 242                         | 255                             | <b>242</b> | 72                | <b>72</b>       | CDLN   |
| CDSA                                 | INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED  | 100                         | <b>100</b>                      | <b>100</b> | 87                | <b>87</b>       | CDSA   |
| CDTO                                 | TOBIN SILT LOAM, OCCASIONALLY FLOODED                            | 278                         | 339                             | 300        | 92                | <b>92</b>       | CDTO   |
| CE                                   | CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES                           | 254                         | 302                             | 263        | 72                | <b>72</b>       | CE     |
| CF                                   | CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES                           | 233                         | 261                             | <b>233</b> | 72                | <b>72</b>       | CF     |
| CH                                   | CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES                     | 220                         | 225                             | <b>220</b> | 72                | <b>72</b>       | CH     |
| CR                                   | CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED             | 193                         | <b>193</b>                      | <b>193</b> | 72                | <b>72</b>       | CR     |
| DT                                   | DETROIT SILTY CLAY LOAM, RARELY FLOODED                          | 309                         | 409                             | 369        | 87                | <b>87</b>       | DT     |
| EA                                   | ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES                   | 189                         | <b>189</b>                      | <b>189</b> | 72                | <b>72</b>       | EA     |
| ED                                   | EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED               | 328                         | 437                             | 397        | 87                | <b>87</b>       | ED     |
| EU                                   | EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED               | 279                         | 344                             | 305        | 87                | <b>87</b>       | EU     |
| GC                                   | GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES                           | 243                         | 255                             | <b>243</b> | 72                | <b>72</b>       | GC     |
| GR                                   | GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED    | 188                         | <b>188</b>                      | <b>188</b> | 72                | <b>72</b>       | GR     |
| HA                                   | HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES                        | 298                         | 372                             | 332        | 72                | <b>72</b>       | HA     |
| HB                                   | HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES                        | 275                         | 321                             | 282        | 72                | <b>72</b>       | HB     |
| HC                                   | HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES                        | 252                         | 268                             | <b>252</b> | 72                | <b>72</b>       | HC     |
| HD                                   | HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED          | 199                         | <b>199</b>                      | <b>199</b> | 72                | <b>72</b>       | HD     |
| HE                                   | HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED | 191                         | <b>191</b>                      | <b>191</b> | 72                | <b>72</b>       | HE     |

## Kansas Division of Property Valuation

### 2004 Agricultural Use Values

| Symbol                               | Soil Map Unit Name   | Dry Crop<br>Land<br>\$/Acre | Irrigated Land                  |            | Grass Land        |                 | Symbol |
|--------------------------------------|--|-----------------------------|---------------------------------|------------|-------------------|-----------------|--------|
|                                      |  |                             | \$/Acre by Well Depth<br>100 ft | 200 ft     | Native<br>\$/Acre | Tame<br>\$/Acre |        |
| <b>REPUBLIC COUNTY (Page 2 of 3)</b> |  |                             |                                 |            |                   |                 |        |
| HF                                   | HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED       | 211                         | <b>211</b>                      | <b>211</b> | 72                | <b>72</b>       | HF     |
| HO                                   | HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED       | 184                         | <b>184</b>                      | <b>184</b> | 72                | <b>72</b>       | HO     |
| HP                                   | HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES                          | 208                         | <b>208</b>                      | <b>208</b> | 85                | <b>85</b>       | HP     |
| HS                                   | HOBBS SILT LOAM, OCCASIONALLY FLOODED                                  | 278                         | 339                             | 300        | 92                | <b>92</b>       | HS     |
| HT                                   | HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED                              | 245                         | 302                             | 263        | 92                | <b>92</b>       | HT     |
| HU                                   | HUMBARGER LOAM, OCCASIONALLY FLOODED                                   | 246                         | 302                             | 263        | 92                | <b>92</b>       | HU     |
| JWAR                                 | ARMO LOAM, 3 TO 7 PERCENT SLOPES                                       | 231                         | 255                             | <b>231</b> | 72                | <b>72</b>       | JWAR   |
| JWBA                                 | BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES                             | 56                          | <b>56</b>                       | <b>56</b>  | 72                | <b>72</b>       | JWBA   |
| JWBB                                 | BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES                    | 44                          | <b>44</b>                       | <b>44</b>  | 72                | <b>72</b>       | JWBB   |
| JWGN                                 | GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED                           | 108                         | <b>108</b>                      | <b>108</b> | 84                | <b>84</b>       | JWGN   |
| JWHB                                 | HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES                                | 273                         | 321                             | 282        | 72                | <b>72</b>       | JWHB   |
| JWHC                                 | HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES                                | 249                         | 268                             | <b>249</b> | 72                | <b>72</b>       | JWHC   |
| JWHF                                 | HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED                  | 195                         | <b>195</b>                      | <b>195</b> | 72                | <b>72</b>       | JWHF   |
|                                      | HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES,<br>ERODED | 199                         | <b>199</b>                      | <b>199</b> | 72                | <b>72</b>       | JWHS   |
| JWHU                                 | HORD SILT LOAM, RARELY FLOODED   | 334                         | 446                             | 407        | 87                | <b>87</b>       | JWHU   |
| JWMC                                 | MCCOOK SILT LOAM, RARELY FLOODED                                       | 251                         | 311                             | 272        | 92                | <b>92</b>       | JWMC   |
| JWNC                                 | NEW CAMBRIA SILTY CLAY, RARELY FLOODED                                 | 295                         | 410                             | 370        | 87                | <b>87</b>       | JWNC   |
| JWND                                 | NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES                               | 10                          | <b>10</b>                       | <b>10</b>  | 59                | <b>59</b>       | JWND   |
| JWNR                                 | NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES                    | 135                         | <b>135</b>                      | <b>135</b> | 85                | <b>85</b>       | JWNR   |
| JWRB                                 | ROXBURY SILT LOAM, CHANNELED   | 134                         | <b>134</b>                      | <b>134</b> | 85                | <b>85</b>       | JWRB   |
| JWRC                                 | ROXBURY SILT LOAM, OCCASIONALLY FLOODED                                | 275                         | 345                             | 306        | 92                | <b>92</b>       | JWRC   |
| KE                                   | KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES                              | 200                         | <b>200</b>                      | <b>200</b> | 72                | <b>72</b>       | KE     |
| KN                                   | KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED                      | 153                         | <b>153</b>                      | <b>153</b> | 72                | <b>72</b>       | KN     |
| KP                                   | KIPSON SOILS, 11 TO 30 PERCENT SLOPES                                  | 10                          | <b>10</b>                       | <b>10</b>  | 59                | <b>59</b>       | KP     |
| LA                                   | WELLS LOAM, 4 TO 8 PERCENT SLOPES                                      | 232                         | 237                             | <b>232</b> | 72                | <b>72</b>       | LA     |
| LC                                   | WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED                              | 184                         | <b>184</b>                      | <b>184</b> | 72                | <b>72</b>       | LC     |
| LH                                   | LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES                       | 48                          | <b>48</b>                       | <b>48</b>  | 65                | <b>65</b>       | LH     |
| LOO                                  | LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED                | 187                         | <b>187</b>                      | <b>187</b> | 59                | <b>59</b>       | LOO    |

## Kansas Division of Property Valuation

### 2004 Agricultural Use Values

| Symbol                               | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land                  |            | Grass Land        |                 | Symbol |
|--------------------------------------|---|-----------------------------|---------------------------------|------------|-------------------|-----------------|--------|
|                                      |   |                             | \$/Acre by Well Depth<br>100 ft | 200 ft     | Native<br>\$/Acre | Tame<br>\$/Acre |        |
| <b>REPUBLIC COUNTY (Page 3 of 3)</b> |   |                             |                                 |            |                   |                 |        |
| MR                                   | MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES                           | 335                         | 445                             | 406        | 87                | <b>87</b>       | MR     |
| MU                                   | MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED                   | 230                         | <b>230</b>                      | <b>230</b> | 87                | <b>87</b>       | MU     |
| RO                                   | COLY SILT LOAM, 25 TO 40 PERCENT SLOPES                         | 40                          | <b>40</b>                       | <b>40</b>  | 72                | <b>72</b>       | RO     |
| SA                                   | INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED | 100                         | <b>100</b>                      | <b>100</b> | 87                | <b>87</b>       | SA     |
| SD                                   | INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES                      | 77                          | <b>77</b>                       | <b>77</b>  | 72                | <b>72</b>       | SD     |
| TU                                   | TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES                    | 246                         | 273                             | <b>246</b> | 72                | <b>72</b>       | TU     |
| TY                                   | TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED            | 189                         | <b>189</b>                      | <b>189</b> | 72                | <b>72</b>       | TY     |
| WA                                   | SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED                     | 89                          | <b>89</b>                       | <b>89</b>  | 84                | <b>84</b>       | WA     |
| WSCS                                 | CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES                    | 238                         | 262                             | <b>238</b> | 72                | <b>72</b>       | WSCS   |
| WSKP                                 | KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES                  | 10                          | <b>10</b>                       | <b>10</b>  | 48                | <b>48</b>       | WSKP   |
| WSLC                                 | LANCASTER LOAM, 3 TO 7 PERCENT SLOPES                           | 218                         | 232                             | <b>218</b> | 72                | <b>72</b>       | WSLC   |
| WST                                  | WASTE   | 10                          | <b>10</b>                       | <b>10</b>  | 10                | <b>10</b>       | WST    |
| WSTY                                 | TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES                   | 243                         | 269                             | <b>243</b> | 59                | <b>59</b>       | WSTY   |
| WSWE                                 | WELLS LOAM, 3 TO 7 PERCENT SLOPES                               | 186                         | <b>186</b>                      | <b>186</b> | 59                | <b>59</b>       | WSWE   |

## Kansas Division of Property Valuation

### 2004 Agricultural Use Values

Bostwick Irrigated

| Symbol                               | Soil Mapping Unit Name  | Land<br>\$/Acre | Symbol |
|--------------------------------------|---|-----------------|--------|
| <b>REPUBLIC COUNTY (Page 1 of 2)</b> |   |                 |        |
| BK                                   | GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES                      | 139             | BK     |
| BU                                   | BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES                             | 244             | BU     |
| CA                                   | COZAD-CASS SOILS, OCCASIONALLY FLOODED                              | 184             | CA     |
| CDAA                                 | HOBBS SILT LOAM, FREQUENTLY FLOODED                                 | 271             | CDAA   |
| CDAR                                 | ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES                               | 228             | CDAR   |
| CDBA                                 | HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES                      | 140             | CDBA   |
| CDCT                                 | CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES                              | 218             | CDCT   |
| CDGE                                 | GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES                              | 242             | CDGE   |
| CDGS                                 | GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED       | 188             | CDGS   |
| CDLH                                 | LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES                  | 48              | CDLH   |
| CDLN                                 | LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES                           | 242             | CDLN   |
| CDSA                                 | INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED     | 100             | CDSA   |
| CDTO                                 | TOBIN SILT LOAM, OCCASIONALLY FLOODED                               | 278             | CDTO   |
| CE                                   | CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES                              | 254             | CE     |
| CF                                   | CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES                              | 233             | CF     |
| CH                                   | CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES                        | 220             | CH     |
| CR                                   | CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED                | 193             | CR     |
| DT                                   | DETROIT SILTY CLAY LOAM, RARELY FLOODED                             | 309             | DT     |
| EA                                   | ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES                      | 189             | EA     |
| ED                                   | EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED                  | 328             | ED     |
| EU                                   | EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED                  | 279             | EU     |
| GC                                   | GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES                              | 243             | GC     |
| GR                                   | GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED       | 188             | GR     |
| HA                                   | HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES                           | 298             | HA     |
| HB                                   | HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES                           | 275             | HB     |
| HC                                   | HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES                           | 252             | HC     |
| HD                                   | HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED             | 199             | HD     |
| HE                                   | HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED    | 191             | HE     |
| HF                                   | HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED    | 211             | HF     |
| HO                                   | HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED    | 184             | HO     |
| HP                                   | HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES                       | 208             | HP     |
| HS                                   | HOBBS SILT LOAM, OCCASIONALLY FLOODED                               | 278             | HS     |
| HT                                   | HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED                           | 245             | HT     |
| HU                                   | HUMBARGER LOAM, OCCASIONALLY FLOODED                                | 246             | HU     |
| JWAR                                 | ARMO LOAM, 3 TO 7 PERCENT SLOPES                                    | 231             | JWAR   |
| JWBA                                 | BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES                          | 56              | JWBA   |
| JWBB                                 | BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES                 | 44              | JWBB   |
| JWGN                                 | GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED                        | 108             | JWGN   |
| JWHB                                 | HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES                             | 273             | JWHB   |
| JWHC                                 | HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES                             | 249             | JWHC   |
| JWHF                                 | HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED               | 195             | JWHF   |
| JWHS                                 | HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED | 199             | JWHS   |
| JWHU                                 | HORD SILT LOAM, RARELY FLOODED                                      | 334             | JWHU   |
| JWMC                                 | MCCOOK SILT LOAM, RARELY FLOODED                                    | 251             | JWMC   |
| JWNC                                 | NEW CAMBRIA SILTY CLAY, RARELY FLOODED                              | 306             | JWNC   |
| JWND                                 | NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES                            | 10              | JWND   |
| JWNR                                 | NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES                 | 135             | JWNR   |

## Kansas Division of Property Valuation

### 2004 Agricultural Use Values

| Symbol                               | Soil Mapping Unit Name  | Bostwick Irrigated<br>Land<br>\$/Acre | Symbol |
|--------------------------------------|---|---------------------------------------|--------|
| <b>REPUBLIC COUNTY (Page 2 of 2)</b> |   |                                       |        |
| JWRB                                 | ROXBURY SILT LOAM, CHANNELED                                    | 134                                   | JWRB   |
| JWRC                                 | ROXBURY SILT LOAM, OCCASIONALLY FLOODED                         | 275                                   | JWRC   |
| KE                                   | KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES                       | 200                                   | KE     |
| KN                                   | KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED               | 153                                   | KN     |
| KP                                   | KIPSON SOILS, 11 TO 30 PERCENT SLOPES                           | 10                                    | KP     |
| LA                                   | WELLS LOAM, 4 TO 8 PERCENT SLOPES                               | 232                                   | LA     |
| LC                                   | WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED                       | 184                                   | LC     |
| LH                                   | LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES                | 48                                    | LH     |
| LOO                                  | LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED         | 187                                   | LOO    |
| MR                                   | MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES                           | 335                                   | MR     |
| MU                                   | MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED                   | 230                                   | MU     |
| RO                                   | COLY SILT LOAM, 25 TO 40 PERCENT SLOPES                         | 40                                    | RO     |
| SA                                   | INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED | 100                                   | SA     |
| SD                                   | INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES                      | 77                                    | SD     |
| TU                                   | TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES                    | 246                                   | TU     |
| TY                                   | TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED            | 189                                   | TY     |
| WA                                   | SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED                     | 89                                    | WA     |
| WSCS                                 | CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES                    | 238                                   | WSCS   |
| WSKP                                 | KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES                  | 10                                    | WSKP   |
| WSLC                                 | LANCASTER LOAM, 3 TO 7 PERCENT SLOPES                           | 218                                   | WSLC   |
| WST                                  | WASTE   | 10                                    | WST    |
| WSTY                                 | TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES                   | 243                                   | WSTY   |
| WSWE                                 | WELLS LOAM, 3 TO 7 PERCENT SLOPES                               | 186                                   | WSWE   |